| | ` | | | | |
|---------------------------------------|-----------|---------------|------------------|---|----------|
| | | 2 | 00 11 | 9644 | |
| .,, 1 - | | Batch N | o: M// | 107/ | |
| Data: 1/1/1/1-3 | | | , 12 | C362 | |
| Supplier: MAMUA | , | Dart P/ | o: /_ | de la companya della companya della companya de la companya della | A114 |
| Supplier MAMUN | / | | ached Yes | No | N/A |
| Supplier. | Rele | ease Note Att | aurou. | | — N/A |
| /aa // NO | | 1.11 Attached | | | N/A |
| Packing Silp. | | ament LUHIP | | N/11/11/1 | 7 NIA I |
| | - nc | :6 Inspection | | | |
| Receipt: Casil | W | ork Order | | | |
| | | | Quantity | Quantity | Comments |
| Discrepancies | Quantity | Quantity | Returned | Short | |
| Part Description | Ordered | Received | Ketuiis | | |
| Number | | | | · | |
| Number | 4., | | | | |
| | | T ' | | | |
| | 150 | | - | 7 | |
| | | | | | |
| | | is of receive | " - hinmen | tOK) Leve | 12/ |
| | Initia | is of receive | (it surbine. | ,, | |
| | 111100 | | | | |
| | | 20 | | Loc | ation |
| wan/Admin: 4.1/c./// | 12 | | | | |
| Production/Admin: | , sa | • | | | |
| Date Received/Costing | | | | | |
| Received/Cooks | | | | | |
| Initial | | | | | |
| | | | | | |
| | ECT-PORT | Rev D | | | |
| i i i i i i i i i i i i i i i i i i i | TEG -PURI | | | | |
| | | | | | |

RECEIVED NOV 1 5 2011

Facture invoice

543552

Date de la facture Invoice Date

11/14/11

1

VENDU À / SOLD TO

DART AEROSPACE LTD 1270 ABERDEEN STREET EXPÉDIÉ À / SHIPPED TO:

DART AEROSPACE LTD 1270 ABERDEEN STREET

PAGE.:

HAWKESBURY

ON CAN K6A 1K7

HAWKESBURY

290 Chemin du Tremblay Boucherville QU J4B 5X9 TEL (514) 527 9153 FAX (450) 641 4357

ON CAN K6A 1K7

| EXPÉDIÉ PAR / SHIP VIA | | | F.A.B./ F.O. | В. | | Q.S.T./T.V.Q. G.S.T. R1372 | 1016343044 TQ0001 LE | - |
|---|--|--|---|----------------|--|---------------------------------------|-------------------------------|--------------------|
| TST OVERLAND | #222212 | | BOU | CHERVILLE | Outploare white | Q , 3 ,1; R2 ,2; | ara ar | |
| OTRE Nº DE COMMAN | IDE/ YOUR ORDER NO | VENDEUR/SALESPERSON | | MARMON / KEYST | DNE # | Nº DETAXE | | |
| 15362 | | GHI | LOS LIVES CONTROL OF THE PARTY | 16487 | A COLLEGE COLL | PROVINCIALE PROVINCIAL TAX NO | 6122-5207 | |
| COMMANDÉE/ ORDERED | Living and the state of the sta | DESCRIPTION | | | QUANTITÉ EXPÉE SHIPPED QUANT | HÉR <i>I</i> TTY: | PRIX À L'UNITÉ! UNIT PRICE | MONTANT/ AMOUNT |
| 432 FT | ALUMINUM SMLS TUBE 1 | | | | 432 FT 29 LBS 36 Piece | es | 2.220/FT | 959.0 |
| 100 FT | Cust. part#.: M60615 STAINLESS STEEL SEAL SMLS TUBE 304L 1 STS .500 .00 Cust. part#.: M304T | MLESS TUBE A/SA213 AW, A /2 X .035 A213 35 304L | A/P,OD PO | L.320/400 | 100 FT 17 LBS 5 Piec | es | 1.030/FT | 103.0 |
| 80 FT | STAINLESS STEEL SEA SMLS TUBE 304L 3 STS .750 .0 | | A/P,OD PO | L.320/400 | 80 FT 29 LBS 4 Piec | es | 1.920/FT | 153.6 |
| | Cust. part#.: M304T | RO.750W.049 | | | | | ENTERED | NOV 1 8 20 |
| TERMES: NET À 30 JO PLUS 2% PAR MOIS SUR COMPTES EN | Energy Surcharge RE ORIGINALE / ORIGINA URE TERMS NET 30 DAYS PRUS 2% PER MONTH ON ALL OVERDUE ACCOUNTS | VEUILLEZ CONSULTER NOTRI WWW.mkcanada.com POUR LES FOR CONEXTIONS OF SALES I | B CONDITIONS D REFER TO OUR | T E VENTE | | | TPS GST. HST. | 13. |
| SOUFFRANCE | PAYMENT OF THIS | | .E AU PLUS | | 12/14/2011 | | PROVINCIAL TAX | D 1,388. |

Purchase Order Receipt Listing

Wednesday, November 16, 2011 8:45:25 AM

All amounts are calculated in domestic currency.

All Vendors PO 1D PO15362 Receipt Dates from 11/16/2011 to 11/16/2011 All Line Item Types All Item ID/GL/WOs All Rec. Employees All Currencies Grouped by Vendor ID

| Purchase Order ID/ Curr Type | Line Nbr/ Insp Req | Project ID | Project ID Reference/ Description/ Cert Std | PO U/M / Stock U/M | Required Date Recv Required Qty Date/ Recv Emp | Recv Oty (PO U/M) | Cost Per Unit/ Recv Value | Inspected Qty/ Rejected Qty (PO U/M) | MRB Reject Qty | Book Amt |
|------------------------------------|-----------------------------|------------|--|---|--|-------------------------|------------------------------|--|-----------------------------------|----------|
| VendorID\Vendor Name PO15362 1 | idor Nam | | 1 01 161T6T0 | Marmon/Keystone Canada Ltd. 375W.0 f | 11/10/2011 11/16/2011 | 432.0000 | \$2.22 | 0.0000 | 0 | \$959.04 |
| CAD | % | | 58 6061-T6 RD Tube .375 x.058W 119644 | Tube f | 432.0000 DESJ02 | | \$959.04 | 0.0000 | 0 | |
| | 2 No | | M304TR0.500W.035 f 304 RD Tube .500 x f .035W | 00W.035 f e.500 x f | 11/10/2011 11/16/2011 100.0000 DES102 | 100.0000 | \$1.03 \$103.00 | 0.0000 | 0 0 | \$103.00 |
| | 3 No | | 119644 M304TR0.750W.049 f 304 RD Tube .750 x f | 50W.049 f e.750 x f | 11/10/2011 11/16/2011 80.0000 DESJ02 | 80.0000 | \$1.92 | 0.0000 | 0 0 | \$153.60 |
| | | | .049 W 119644 | | | | Total | Total Received Quantity: Total Qty to Inspect (PO U/M): Total Reject Quantity: | Duantity: O U/M): Duantity: | 0.0000 |

\$1,215.64

Total Receipt Value: Total Balance Due Quantity:

22

25



290 Chemin du Tremblay Boucherville QU CAN J4B 5X9 TEL. 514/527-9153 FAX. 450/641-4357

PAGE..: 1 Order: 16487

Date..: 11/14/2011

PACKING SLIP

DART AEROSPACE LTD 1270 ABERDEEN STREET

SOLD TO:

SHIPPED TO:

DART AEROSPACE LTD 1270 ABERDEEN STREET

HAWKESBURY ON CAN K6A 1K7

HAWKESBURY ON CAN K6A 1K7

| SHI TST | <u>P VIA</u> OVERLAND # | F.O.B. BOUCHERVILLE | <u>SALESPER</u> G. Dulud | | JR ORDER NO. |
|------------|----------------------------|---|-----------------------------|---------------------|-----------------|
| | Ordered | Description | Number Pieces | Quantity Shipped | Back Ordered |
| | | Fax all papers to Linda Lacelle 613-632-1053 | :01/11 GD | | |
| 1 | 432 /FT | ALUMINUM SMLS TUBE ATS .375 .058 D6061 Tariff Number: 7608.20.00.90 Cust. part#.: M6061T6T0.375W.058 HT#: 496997 Total | 36 | 432/FT 432/FT | / |
| 2 | 100 /FT | STAINLESS STEEL SEAMLESS TUBE SMLS TUBE 304L 1/2 X .035 A213 STS .500 .035 304L Tariff Number: 7304. Cust. part#.: M304TR0.500W.035 HT#: YX1004-364 Total | . <u>5</u> | 100/FT 100/FT | |
| 03 | 80 /FT | STAINLESS STEEL SEAMLESS TUBE SMLS TUBE 304L 3/4 X .049 A213 STS .750 .049 304L Tariff Number: 7304. Cust. part#.: M304TR0.750W.049 HT#: YT3253 Total | 4 4 | 80/FT 80/FT | |
| | | | | /4/11/ | 15 |
| | | | | | |

| Customers | • | | | |
|-----------|---|--|--|--|

No. of Bdls/Pieces

2 / 0

Total Weight....:

75



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO15362

Purchase Order Date 11/03/11 PO Print Date 11/03/11

Page Number 1 of 1

Order From:

VC-MAR001

MARMON/KEYSTONE CANADA LTD. 290 CHEMIN DU TREMBLAY BOUCHERVILLE, QC J4B 5X9

CA

Contact Name

Vendor Phone

800 361 8142

Vendor Fax

450 641 4357

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607

Terms Currency Net 30 CAD

FOB

Destination-Collect

Ship To:

DART AEROSPACE LTD

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA



| Line Nbr | Reference Revision ID Vendor Part Number | Description/ Mfg ID | Req Date/ Taxable (| Req Qty/ Init of Measure | Ship Method | Unit Price | Extended Price |
|----------|--|--------------------------------|---|-----------------------------|-------------|------------|-------------------|
| . М | 014 | 6061-T6 RD Tube .375 x.058W | 11/10/11 Yes | 432.00 | | \$2.2200 | \$959.04 |
| | | | | | 100 | 1/11/18 | |
| | | Special Inst: | MATERIAL: 606 TUBING PER WW-T-700/6 OR OR QQ-A-200/8 OR | . AMS 4080 OR | | | |
| 2 M | 4304TR0.500W.035 | 304 RD Tube .500 x .035W | 11/10/11 Yes | 100.00 | TST ground | \$1.0300 | \$103.00 |
| | | Special Inst: | MATERIAL: 304 ROUND TUBIN AS PER ASTM A OR ASTM A269 | G A213 OR ASME | | , o | |
| 3 N | и304TR0.750W.049 | 304 RD Tube .750 x .049W | 11/10/11 Yes | 80.0 | TST ground | \$1.9200 | \$153.60 |
| | ٥١) | | | | feari | | |
| | | Special Inst: | SAME AS ABO | VE | r q | O Total: | \$1,215.64 |

MATERIAL CERTIFICATION REQ'D UPON DELIVERY

cL

No substitution or deviation without consent.

Certificate of Conformity or Material Certification required when applicable

Change Nbr:

Change Date: 11/03/11

290 Chemin du Tremblay Boucherville QU CAN J4B 5X9

PAGE.:

Date.: 11/03/11

Quotation number.: 1-639067

E-mail: gdulude@mkcdn.com

SOUMISSION/QUOTATION

Territory: 16A

Telephone: 613 632 9577 Fax....: 613 632 1053

ATTN.: Sold To:

CHANTAL LAVOIE

Ship To:

DART AEROSPACE LTD 1270 ABERDEEN STREET DART AEROSPACE LTD 1270 ABERDEEN STREET

HAWKESBURY

ON CAN K6A 1K7

HAWKESBURY

ON CAN K6A 1K7

Ship Via

F.O.B

Tel -514-527-9153 4232 Wats 1-800-361-8142 FAX -450-641-4357

Salesperson

Your Reference No.

TST OVERLAND #222212

BOUCHERVILLE

G. Dulude

Termes

Les prix et livraisons sont basés sur la totalité de cette soumission. Les changements concernant la quantité ou la livraison peuvent exiger une révision de soumission. Nous nous réservons le droit d'ajuster nos prix de vente en conformité avec les coûts de l'usine, les frais de transport, les tarifs douaniers, les taxes fédérale et provinciale applicables à la date de livraison. Une variation dans les quantités livrées concordera à la pratique courante du vendeur. Toutes les commandes sont conditionnelles à l'approbation du département de crédit. Le client doit fournir une commande écrite non-annulable pour l'acceptation de cette soumission.

Pricing and delivery are based on the complete bill of Material. Change to quantities or delivery may require a revised quotation. Pricing and delivery, as quoted, are based on conditions prevailing at the time of quotation and are subject to review at time of order. Permissible variation in shipping quantities will be to the seller's standard practice. Orders resulting from quotation are subject to our credit approval. The Customer is to supply a written noncancellable order to accept this quotation.

- we thank you for your inquiry and take pleasure in quoting on your requirements as follows:

| Quantité/ Quantity | Description | Jours Livraison Days | Prix Pricing |
|-----------------------|--|-------------------------|-----------------|
| ine - 1 | ALUMINUM SMLS TUBE T6 DRAWN B-210 | | |
| 432 FT | ATS .375 .058 D6061 | 1 2.220 | /FT 959.04 |
| | Livraison: 5/6 jours ouvrables | | |
| | J'ai trouve cette quantite chez un fou | ırnisseur US | |
| | Energy Surcharge | | 13.46 |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

Taxes applicables: En sus/ All applicable taxes Extra: Tarifs douaniers/ Duty

Montant total/ Total Amount...:

972.50

Les prix soumis sont en fonds canadiens sauf si precise autrement/ All prices quoted in Canadian Dollars unless otherwise stated.

Poids total/ Total weight....:

29.4 lbs





PAGE . :

Date.: 11/02/11

Quotation number.: 1-638960

290 Chemin du Tremblay Boucherville QU CAN J4B 5X9

Tel -514-527-9153 4232 Wats 1-800-361-8142 FAX -450-641-4357

E-mail: gdulude@mkcdn.com

SOUMISSION/QUOTATION

Territory: 16A

Telephone: 613 632 9577

Fax....: 613 632 1053

ATTN.: Sold To: CHANTAL LAVOIE

DART AEROSPACE LTD

1270 ABERDEEN STREET

Ship To:

DART AEROSPACE LTD 1270 ABERDEEN STREET

HAWKESBURY

ON CAN K6A 1K7

HAWKESBURY

ON CAN K6A 1K7

Ship Via

TST OVERLAND #222212

F.O.B

Salesperson G. Dulude

Your Reference No.

BOUCHERVILLE

Les plus et livraisons sont basés sur la totalité de cette soumission. Les changements concernant la quantité ou la livraison peuvent exiger une révision de soumission. Nous nous réservons le droit d'ajuster nos prix de vente en conformité avec les coûts de l'usine, les frais de transport, les tarifs douaniers, les taxes fédérale et provinciale applicables à la date de livraison. Une variation dans les quantités livrées concordera à la pratique courante du vendeur. Toutes les commandes sont conditionnelles à l'approbation du département de crédit. Le client doit fournir une commande écrite non-annulable pour l'acceptation de cette soumission.

Pricing and delivery are based on the complete bill of Material. Change to quantities or delivery may require a revised quotation. Pricing and delivery, as quoted, are based on conditions prevailing at the time of quotation and are g and delivery are based on the complete out of Material. Change to quantities or delivery may require a revised quotation. Pricing and delivery, as quoted, are based on conditions prevaiing at the time of quotation and are to review at time of order. Permissible variation in shipping quantities will be to the seller's standard practice. Orders resulting from quotation are subject to our credit approval. The Customer is to supply a written noncancellable order to accept this quotation.

ous remercions de votre demande de prix et il nous fait plaisir de vous soumettre les renseignements. / We thank you for your inquiry and take pleasure in quoting on your requirements as follows:

| Quantité/ Quantity | Description | Jour | s Livr Days | | Prix Pricing | |
|-----------------------|--|------|----------------|--------|-----------------|--------|
| ine - 1 100 FT | STAINLESS STEEL SEAMLESS TUBE A/SA213 AW,A/P,OD STS .500 .035 304L stock | P0 | 1 | 1.030 | ı/FT | 103.00 |
| ine - 2 80 FT | STAINLESS STEEL SEAMLESS TUBE A/SA213 AW,A/P,OD STS .750 .049 304L stock | PO | 1 | 1.920 |)/FT | 153.60 |
| | Nous n'avons pas d'aluminium 3/8 x .058 pre ne tenons pas de l x .049 (ni 304,ni 316) | sent | ement | et nou | ıs | |
| | Energy Surcharge | | | | | 13.46 |
| | 141 | | | | | |

Taxes applicables: En sus/ All applicable taxes Extra: Montant total/ Tarifs douaniers/ Duty Total Amount...: 270.06 Poids total/ Les prix soumis sont en fonds canadiens sauf si precise autrement/ Total weight....: 46.8 lbs All prices quoted in Canadian Dollars unless otherwise stated.

Chantal Lavoie

From:

Linda Lacelle < llacelle@dartaero.com>

Sent:

November 2, 2011 8:34 AM

To:

'Chantal Lavoie'; Brigitte Golden

Subject:

pls order asap

Importance:

High

600' x M6061T6T0.375W.058

Thank You, Linda Lacelle Production Manager Dart Aerospace Ltd Hawkesbury, ON Phone: 613 632 9577

Fax: 613 632 1053 Cell: 613 676 1655

| 7.56 | 0 | 49.3 | 12 | |
|-------------|---|--|---|--|
| 0.217368421 | 0 | 126.7 | 32 | |
| 2.809473684 | 0 | 8.6 | 6 | |
| 4.74E-05 | 0 | 49.7651 | 20 | |
| 10.81157895 | 0 | 39.172 | 20 | |
| 3.853547368 | 0 | | | |
| 1.631578947 | | | | |
| | | | | |
| | _ | | | |
| | | | | |
| 4.754789474 | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | _ | | | |
| | = | | | |
| | _ | | | |
| | | | 12 | 48+ P4446-1 |
| | | - | | 161 |
| | _ | | | |
| | | | | |
| | | | | |
| | - | | | |
| | | | | |
| | _ | | | |
| | _ | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | -a (04 |
| | | | | 100184 |
| | | | | 20.0 + |
| | | | | 00 46 1 |
| | _ | | | 40.04 |
| | | | | 10401 |
| | | | | |
| | _ | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| 1.0104 | 0 | 16.4504 | 6 | |
| | 0.217368421 2.809473684 4.74E-05 10.81157895 | 0.217368421 2.809473684 4.74E-05 0.81157895 3.853547368 1.631578947 0.2298228947 6.245789474 4.754789474 8.696052632 1.263157895 7.91E-02 0.872842105 0.287921053 0.208421053 68.75757895 55.38805263 50.83389474 4.452157895 0.784210526 98.11484211 17.78947368 1.772631579 169.7723684 0.350874737 253.1539695 1.052631851 19.19947368 1.542368421 37.54263158 271.8051579 1.718054817 75.65506009 25.881632 88.80784211 28.16342105 0.526315211 133.1792184 265.3934486 84.49544272 0.121842105 0 40 49.93736842 | 0.217368421 0 8.6 2.809473684 0 8.6 4.74E-05 0 49.7651 10.81157895 0 39.172 3.853547368 0 22.2709 1.631578947 0 32.847 3.26E-04 0 5.6098 2.298228947 0 17 6.245789474 0 21.2 4.754789474 0 24.994 8.696052632 0 102.318421 1.263157895 0 176 7.91E-02 0 20.57 0.872842105 0 12.5 0.287921053 0 55.8795 0.208421053 0 20.15 68.75757895 0 344.866 55.38805263 0 348.167 50.83389474 0 152.846 4.452157895 0 21.164 0.784210526 0 0 98.11484211 0 1212.6427 17.78947368 0 36 1.772631579 0 11 169 | 0.217368421 0 126.7 32 2.809473684 0 8.6 6 4.74E-05 0 49.7651 20 10.81157895 0 39.172 20 3.853547368 0 22.2709 20 1.631578947 0 32.847 6 3.26E-04 0 5.6098 0 2.298228947 0 17 8 6.245789474 0 21.2 4 4.754789474 0 24.994 20 8.696052632 0 102.318421 64 1.263157895 0 176 100 7.91E-02 0 20.57 6 0.872842105 0 12.5 10 0.287921053 0 55.8795 12 0.208421053 0 20.15 12 68.75757895 0 344.866 20 55.38805263 0 348.167 6 50.83389474 0 |

m6061T6T0.375w.058 X 3006+



POSSTULE COMPUNER ET ABREGGE DE CONNAISSEMENT SHAFLE - CONTRAT P'ENFEDITION DE MISSAGERUS, AD OFFER PAR LES CHEMINS DE CHIEF Che dont le classification (Canadian Freight Classification) et pouvant ett optiment et den tegénde de partie et partie et de la compune de la

Destine 4:
DART AEROSPACE LTD

PAGE : 290 Chemin du Trembley Boucherville J4B 5X9 TEL (514) 527 9153 FAX (450) 641 4357

Shipping date....: 11/14/2011 Name of Carrier...: TST OVERLAND #222212 F.O.B..... BOUCHERVILLE

Telephone.....: 613 632 5200

| ART ABROSPACE LTD 270 ABERDEEN STREET | Telephone exa saa 2200 |
|---|---|
| ANKESBURY ON CAN K6A 1K7 | Customer order.: (5362 |
| escription du chargement et manques speciales/Description of shipments and special marks Polds/Weigh | in Proces/PCS Si les finis sont physibles d'advances eurire qui estamper iel: / HE Charges are to be propald write or stamp here: |
| ax all papers to Linda Lacelle 613-632-1053 rev:01/11 GD | Collect |
| 1-ALUMINUM SMLS TUBE ATS .375 .058 D6061 11/14/2011 432 FT Cust. part#.: M6D61T6T0.375W.058 Rev: ZZ Country of Origin: HT#: 496997 | 29.4 Reculfaceived \$ 36 Doit stro credite sux finis sur les biens ci-contine. |
| 02-STAINLESS STEEL SEAMLESS TUBE MLS TUBE 304L 1/2 % .035 | Agent on calpiter/Agent or Cashler Par./Per. A l'usage du voiturier/For carrier's usc |
| 03-STAINLESS STERL SEAMLESS TUBE 8MLS TUBE 304L 3/4 X .049 A213 STS .750 .049 304L 11/14/2011 80 FT | Avances et on An dele/ Advance and or beyond \$ |
| Cust. part#.: M304TR0.750W.049 Rev: CPI Country of Origin: CHN HT#: YT3253 | Divers./Misc. \$ Suppl. Fiece / |
| | Suppl. Valent / Suppl. Valent S |
| | · Total/Tatal S |
| | L'expediteur inscrit le montant (P.S.L.) |
| | Montant/Amount S P Frais/Fee S S Total/Total S |
| | L |
| Bdls/Pieces Number of extra large pieces. Poids total Total we | eight Valuetion/Valuetion 75 LB |
| Si le tariff l'exige indiquer le volume total, / Where required by builff shipper must complete the folion Dimensions/ Dimensions Volume(pied exhest)/ Total cubic feet Poids inner Dimensions/ Di | wing. Numero du conn/Order number conal weight 16487 |
| Expedituur/ Shipper Agent/ Transport | Signature du client/Customer |



290 Chemin du Tremblay Boucherville QU CAN J4B 5X9 TEL. 514/527-9153 FAX. 450/641-4357

PAGE..: 1 Order: 16487 Date..: 11/14/2011

PACKING SLIP

SHIPPED TO:

DART AEROSPACE LTD 1270 ABERDEEN STREET

SOLD TO:

DART AEROSPACE LTD 1270 ABERDEEN STREET

HAWKESBURY ON CAN KGA 1K7

HAWKESBURY ON CAN K6A 1K7

| 11 F | VIA OVERLAND # | F.O 222212 BOU | <u>.B.</u> CHERVILLE | SALESPI G. Dulu | <u>RSON</u> YOU de 153 | R ORDER NO |
|------|-------------------|--|---|--------------------|---------------------------|-----------------|
| _ | Ordered | _Description | | Number Pieces | Quantity Shipped | Back Ordered |
| | | Fax all papers to Linda La | celle 613-632-1053 | rev:01/11 GD | | |
| | 432 /FT | Tariff Number: 7608.20.0 Cust. part#.: M6061T6T0 | .375W.058 # 498997 | <u>36</u> 31 36 | | |
| | 100 /FT | STAINLESS STEEL SEAMLESS T SMLS TUBE 304L 1/2 X .03 STS .500 .035 Tariff Number: 7304. Cust. part#.: M304TR0.5 | 5 A213 304L DOW.035 \$ YX1004-36 | 45 | | |
| | 80 /FT | STAINLESS STEEL SEAMLESS T SMLS TUBE 304L 3/4 X .04 STS .750 .049 Tariff Number: 7304. Cust. part#.: M304TR0.7 | 9 A213 304L | 4 | 80/FT | |
| | | | | 11 | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

2 / 0

Total Weight....:

75

Customers.: _

WLCS-QP-174-06

10040%¢ *



MILL INSPECTION CERTIFICATE

CHANGSHU WALSIN SPECIALTY STEEL CO.,LTD. EN 10204 3.1

| THE STANDOR SOLVED TO THE STAND OF THE STAND OF THE STANDOR OF THE | MATERIAL FREE FROM MERCURY CONTAMBNATION NO REPAIR BY WELDING MADE IN CHINA HRB MAX 80 400 POLISHEI | POJMO7966 LENGTH-20FT TEST PER ASTM A262 PRACTICE E | REMARK: AS PER ASTM A213-10,ASME SA213-16/ASTM A269-10 HACE MR 01-23 | TOTAL: | | | | 0.500*0.035 | ODC) *WT(') | SIZE(mm) | RESULTS(PRODUCT) | RESULTS (LADLE) | SECTIFICATION | SINDMENTS | | COMMODITY: STABILESS STEEL SEAMLESS TUBING | CUSTOMER: |
|--|---|--|--|--------|---|------------|--------|-----------------|-------------|-----------------------------|------------------|-----------------|---------------|-----------|---------|--|---|
| | PROMINTERCURY C SLOING HRB MAX \$0 | A262, PRACTI | 3-10,ASME SA | | | | | 23-10# | ž | GRAD | CT) 0.019 | 0.023 | 124x (0.835 | | | ALLESS STEEL S | MARHOWKEYSTONE CANADA BIC 201 HKG |
| WOLLINS | RY CONTAI | # # | 313-16/AST | 150 | | | | Š | - | PIECES | 0.450 | L | 1,000 | <u>.</u> | | EVHITES 15 | ;YSTONE C |
| STANTO | HAMINATION 400±POLISHED | | STM A269-10 | 3000 | | <i>: 1</i> | - 12-1 | | | · | 0.603 | 0.620 | 2,000 | M | | 景 | One young |
| | | | • | L | | - | | 388 | Ц | 1HDEIM | 9,029 | 0.027 | 0.045 | - | | | , , |
| The state of the s | | 75 221 | 0 = S | 242 | 1 | 1 | | L | | | 0.008 | 0.001 | 0,030 | 2 | | | |
| N Schull | | E CENTRA | I. WE HERBER CERTIFY THAT THE MATERI CONFORM TO THE SPECIFICATION ABOVE | | + | - | | 540/560 360/275 | MPa MPa | TS 0.2% | 10.019 | 10.090 | 12,000 | 1000 E | | GRADE | CERTIFICATION |
| 116 | | CATE SHAL | HI SAECHH TU AADLUK | | + | 1 | - | 512 | | ₩ ₩ | 18.138 | IE.JDO | 2000 | | | | HEAT NO: CONDITION COLD CERTIFICATE NO. |
| 1 ! | | NOT BE R | CATION AS | | | | | 61/62 | 35 | (September 1) | | | | Mo | DATE OF | | YX IDO4-364 L'OGHENTA O L'OGHENTA O |
| | | PRODUCE | TERIAL DE OVE. | | | | | 77/77 | | HARDNESS | | | | 5 | 倡 | | 64 20 ANNEALED, PI 20 ANNEALED, PI |
| QUALIT | | THE CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL WITHOUT THE W | SCREED HE | | | | | GOCO | 1631 | HARDNESS FLATTENBEG FLARING | | | | | N (WIN) | | HEAT NO: YXIDA-364 CONDITION COLD FINISHED, ANNEALED, PICKLED, PLAGNEND CERTIFICATE NO: 2011/9054024004 |
| QUALIT | | HIM TICH | INGGE NGS | · | 1 | | | 6000 | 1531 | G FLARING | | 1 | | O+18 | | | MLAIN ENID |
| QUALITY MANAGE | | aruć inol | MADEINA | | | | 7 | 0000 | 153 | | | | | S | | | |
| " | 6 | WRITTEN A | OCORDAN | | | | | , X | 2002 | GRAIN | | | | E | | | • |
| | Oin Su | RITTEN APPROVAL OF THE COMPANY | CE WITH THE R | | | | | 201102-BA-037 | | Lot No. | | | | \ \ | | | |
| | | TE COMPANY. | LWE HERBBY CERTIFY THAT THE MATERIAL DESCRIBED HEREIN BEEN MADE IN ACCORDANCE WITH THE RESULTS OF THE CONTRACT, AND CONFORM TO THE SPECIFICATION ABOVE. | | | | | | ieai. | нурвозтапс | | | | - | | | ! |
| | | | CONTRACT | | | - | * | 6000 | | CURRENT | | | | | | | |
| | | | r, and | | | | | 9000 | 55 | 된 | | | | | | | • |



YT3Z53 * 100000/ * BN/230 *



SHANGHAI CRYSTAL PALACE-PIPE CO.,LTD

LAO GANG, PUDONG NEW AREA DISTRICT, SHANGHAL, CHINA MILL TEST CERTIFICATE

ISO9001:2000 ;PED Material CERTIFICATE (No.:QAC0021058/A)

DATE OF ISSUE: 2011/2/1

| | SSURANCE DEPARTMENT | SURANCE D | ➣ | MANAGER OF QUALITY | VAGER (| MÄ | | | | MILL IEST CEKTIFICATE TO EN 10204/3.1 INVOICE NO: YK-11-02-04 | MILL (EST CERTIFICATE INVOICE NO: YK-11-02-04 | EST CEK | INVOICE IN |
|--|---------------------------------------|---------------------|--------------|--|------------|---------------|---------------------|-------------|-------------|---|--|-----------------|---|
| 2 | | | | , | , | | | | • | 斯A TO NATIONAL | COUNTRY OF ORIGIN: CHINA | RY OF O | COUN |
| 2011 | MAR 1 0 2011 | | | | • | | | | Ö | FREE FROM MERCURY CONTAMINATION | RCURYC | ROM ME | FREE F |
| EWED | OC REVIEWED | _ | co,,urb | SHANGHAI CRYSTAL PALACE PIPE CO,,U | TAL PAL | AI CRYS | SHANGH | Ē. | X 1.5m/m | SOLUTION HEAT TREATMENT : 1050°C X (.5m/min | R WAS P | ION HEA | NO WE |
| | | YI | OMPAI | THE WRITTEN APPROVAL OF THE COMPANY. | PROVAL | TTEN AP | THE WRI | : | · · · | IC TEST TO ASTM A262 PRACTICE E. | M A262 PI | TOAST | IC TES |
| THE PURCHASE ORDER OR CONTRACT 2.THE CERTIFICATE SHALL NOT BE REPRODUCED, EXCEPT IN FULL, WITHOUT | CEPT IN FUI |)DUCED, EX | ACT REPRO | THE PURCHASE ORDER OR CONTRACT 2.THE CERTIFICATE SHALL NOT BE REI | TE SHAI | RTIFICA | 2.THE PUR | 80-697 | KASIMA B | WALL HICKNESS I OLEKANCE AS FEK AS IM AZ69-U8 IN COMPLIANCE TO NACE MR0175-2003 | E TO NAC | APLIANCE | IN CON |
| N COMPLIANCE WITH THE TERMS OF | CE WITH TH | COMPLIAN | | TESTED AND THE TEST RESULTS ARE DESCRIPTION OF THE TEST RESULTS AR | E TEST | AND TH | TESTED HE |) } } | 7 | REMARKS: AS PER ASTM A213-09b/ASME SA213-07 | 213-09b/A | CASTMA | AS PER AS |
| OK (DRILLED HOLE) | 75 | OK ——— | | OK | 57.0 | 690 | 345 | 00 | 25 | 11-1-90 | 20 | 0.049 | 0.750 |
| OK. | 73 | 윷 | | OK | 66.0 | 695 | 340 | 797 | 500 · | W10-12-12 | 20 | 0.035 | 0.500 |
| TEST TO E426 (100%) | HRUB ≤80 | TEST | | TEST | (%) ≥35 | (Mpa) ≥515 | (Mpa) ≥205 | (gy) | Pieces | Bundle No. | Length (feet) | W.T (inch) | (inch) |
| EDDY | HARDNESS | EL VALLEMING] | | UNIDA 13 | TEL | SŢ | 0.2%YS | Idojem | | | . | Dimensions | |
| | | | | | ERTIES | L PROP | PHYSICAL PROPERTIES | - | | | | | |
| | | 18.34 | 8.08 | 0,41 | 0. | 0.002 | 0.039 | | 0.74 | 0.025 | (E) | RESULTS (LADLE) | RESUL |
| • | 0 | 18.0~20.0 | 8.0~12.0 | €0.75 8 | <u>^</u> | < 0.030 | <0.040 | | <2.00 | < 0.035 | ! | SPECIFICATION | SPECIE |
| | | ن | Ν | Si | F.A. | S | P | | Min | . C | | NTS | ELEMENTS |
| | | | | | | | | | | WT%) | CHEMICAL CONTENTS (WT%) | CAL CO | CHEM |
| | | T3253 | 17: OF | T. HEAT NO. :Y | D 320 ORU | HSITION | IN END / OD | KLED / PLA | EATED / PIC | CONDITION: COLD FINISH / SOLUTION TREATED / PICKLED / PLAIN END / OD POLISHED 320 GRUT. | LD FINISH | TION: co | COND |
| TP304/TP304L | M A213-09b/ASME SA213-07 TP304/TP304L | £ A213-09b/AS | | GRADE: AST | | | Ω | TUBING | SEAMLESS | STEEL | COMMODITY: STAINLESS | ODITY: S | COMM |
| · | ਜ਼ਿ | :2010-11-009-B | NO. | ORDER | | | | | | | | P.O.NO.: BN7230 | P.O.NO |
| | .9.B.4 | ENO. :2010-11-9-B-4 | | CERTIFICATI | | | | INC | CANADA | CUSTOMER: MARMON/KEYSTONE (| ARMON/K | MER: M | CUSTO |
| | | | | | | | | | | | | | |

11/6/11 10:1/ 1/34-/30-0//6 Fiduential Stathless Fibe Asken Lucz-Markenstune Canada INC 4/5



Control No: 89167

Precision Tube Company

A Mueller Industries Company
287 Wiesshicker Avenus
North Wales, Permaylvanis
Phone: (215) 888-5781
CERTIFICATION AND TEST DEPARTMENT

| | | | | IGAIR | M AN | d tes | t repo | RTS | | |
|--|---|---|---|---------------------------------------|------------------------|--------|---------------|-------------------------------------|---|---|
| CUSTON | er pur | CHARE ORDE | R NO | | r.orp., | yo. | | PREC | SION TU | SE PIN |
| | | 20 ITEM 13 | | | 23782 | | · | Z4A0375 | 0052000 | 1 |
| SOLD 13 | 30 ESSE | TAL STAMLES X AVENUE EA NJ 07001 | S PIPE L ST | • | | SHIP | 130 ESSI | itial stam Ex avenue NJ 07001 | LESS PI EAST | PEL. |
| QUANTIT | Y ORD. | | DESCR | PTION | | | Marie e | HIPPED | | |
| 2.6 | 568 FT | METAL - 808 TEMPER - 475 SPEC - AMS ASTM-B LENGTH - 12 LGTH TOL + SHAPE - RO FINISH - 875 OD . 3750 - ID WALL .0580 | WW-T-7(2:10-04 FT .1250 IN JND ALGHT E 4:00300 | 0000 IN XACT LE | | 3 | | 2,890 FT | | ATE SHIPPET 10/24/07 |
| | | | | MECHA | INICAL | PROPE | RIFES | | | |
| SAMPLE | • | теника Отпанати ОФ-91 | | Y()()() 37 REM()()() (P.4-1.) | 1 | (M S M | | HARD | PERSONAL PROPERTY AND PROPERTY | CRAM SIZE |
| 1 | | 46,482 | | 41,1 56 | ľ | 16 | | | | |
| | DUS MIT | Sion Test: Pate Test: Amination: | | NiCal S | 1567B) | FLAT | TENING ' | | ŝs | |
| | EDDY | CURRENT TES | T: PAS | | ES I PEU | CITAL | 169119 | | | |
| HYDROS | TATIC P | ressure tes Pasonic tes | T: | | | | | | | |
| | | | | CHEM | | OMPOS | | | | |
| LLOY: 6 | 3051 | HEAT: | | | | EABIL! | | 198997 PT11452 - K | AISEE A | I I MANAGE INA |
| SI | F | ₹ Cu | Mn | Mg | Cr | Zn | T. | | - Eleme | |
| MIN. O.4 | - | 0.15 | | 0.80 | 0.04 | | | Each | Tot. | Rem. |
| MAX. D.E | 3D Q , | 70 0.40 | Q.15 | 1.20 | 0.35 | 0.29 | 0.15 | 0,05 | 0.15 | |
| ya pasapi sanga ng manga sa ya sa ng manga | Hai the fireg ing Emiliad emologed a se | Dieg pemulis para diplicati, na trus deplar. Daring the lagar bisarditay abelijanyak | inas tra masers decimals charing of | il disciplina il il propieta il il | 98 regin 194099, mt | : | et cera ma er | ante friesden sidle sind | CONTY OF BOY OF | Т-с ток права пресуду Ibn 46 00404-кой, по эти вту п 10/24/07 |

11/8/11 10:17 7732-750-0778 Prudential Stainless Pipe Karen Lutz→MARMON/KEYSTONE CANADA INC 5/5



NORTH WALES, PENNSYLVANIA 19454 PHONE: (216) 899-5801 - FAX: (216) 686-0761

| 1 | PTIC CUSTO | Lot# | 15225 15225 | ERTIFIC | | 65118 | | PORTS | | 30052000£ | | |
|----------------------|---------------------------------------|---|---------------------------------------|---|-------------------------------|--------------------------|------------------------|-----------------------------|-------------------|-------------------|------------------|------------|
| 00752 | O ITEM | | | | . 6491 | 240, NO. | | , | WITCHEST ROLL | | | 7 |
| SOLD TO | Prudent 130 ess Avenel, USA | TAL ST | AINLESS NUB EAS | PIPE | | SHIP | 30 E581 | AL STA IR AVEN NJ 070 | CALUSS De dast | 1000919 PIPE | <u>, 662, 14</u> | 1 kg |
| CONTRACT | | (C-201) | | Er Duran III | For all | 100 P | 以中华公司 | | Carry . | thought on the | * a t | |
| 250 | 8.000FT | TEMPE SPEC PART LENGTH SHAPE FINIS OD ID | - Astm- H - 1 TOL + - Roun | 700/62 B-210-9 2 FT 1250 B AIGHT B | 5 137 ~=″: | | 0 | | | | | • |
| | ENGLANCE WASHINGTON | 15.27 | | HANGE BASSING | Of the season of | incerement w | | | | | | i |
| JAMPLE | | SIPENGIN P.E.L. | | STRENGTI GTRENGTI (P.E.L.) | н, | ELCHEA 44 2 MG (M) | 56 | | | | | M. |
| 1. | | 45,45 | 0 | 36,92 | A | 20. | | | | (Mi | A1 | The second |
| EXPANSION MERCURO | | E TEST: | | | | | FLATTENIN FLARE TES | | | | | ÷. |
| , in a second | Market Service | | | 11 2 65 55 | njaros estas. La constanta | | | | | | | |
| HYDROS | rhent tex Tatic pres INIC Test: | | | vi vi | .* . | | | ٠,٠) | . , | Ç. | , | |
| ALLOY #: | | 00.794 Sec. 4 | | 1040.3 | | | TRACEABIL | | 227 COA | | | X |
| | Si | Fe | CU | Mn | Ng . | ۲ | Zn . | . Ti | Other | elements Total | A] | |
| MIN. MAX. | 0.48 0.8 | 0,7 | 0.15 0.40 | 0.15 | 0.8 | 0:04 0,35 | 0\25 | 0.15 | 0.05 | | rem. | 7 |
| | | | | | • | | | | | | | ;; ; |

We hereby certify that the foregoing results are correct, that the material compiles with the requirements of the above specifications and purchase order and that the test reports represent the actual attributes of the Items furnished on this order. During the manufacturing, feating and inspection, the product did not come into circuit contact with mercury or any of its compounds, nor with any mercury containing davice employing a single boundary of containment.

PACKING COPYNIda Bonner

.500- .035-

STS-



MILL INSPECTION CERTIFICATE









CHANGSHU WALSIN SPECIALTY STEEL CO.,LTD. EN 10204 3.1

| | MADE IN CHINA | MATERIAL FREE FROM MERCURY CONTAMINATION NO REPAIR BY WELDING HER MAY 80 400#POLISHED | TEST PER ASTM A262, PRACTICE E | LENGTH:20FT | NACE MR 01-75 | AS PER ASTM A213-10,ASME SA213-10/ASTM A269-10 | 101110 | TOTAL | | | | | | | 2 | No. | SIZE(mm) CASE | | 3 | 0.023 | 0.035 | Bi | ELEMENTS C | | COMMODITY: STAINLESS STEEL SEAMLESS TUBING | CUSTOMER: MARKMUNING ISLOTE CONTROL AND |
|--|---|---|--------------------------------|---|--|--|--|-------|---|---|---|---|---|---|---------------|-------|---------------------------------------|------|----------|--------|-------------|--------|------------|----------------------------|--|--|
| | | ONTAMINATION 400#POLISHED | | | ار | 10/ASTM A | 1800 | 150 | | | | | - | | 150 | | PIECES | | 50 0.603 | _ | 1.000 2.000 | - | Si Mn | | ESS TUBING | - 2 |
| TARGETT CAN IN THE STATE OF THE | *************************************** | ALION | | 4 영수 기타 | • | 269-10 | | 3000 | | | | | | | 3000 | FT | WEIGHT | | 3 0.029 | | 0.045 | | q | | | į |
| , IIIANICEI I | ~ | | · | ñ | | · | 1 | 242 | | | | | | | L | (kg) | | | 0.000 | 0.001 | 0.030 | | S | | | |
| OMINO | | | | 2.THE CER | | ONFORM | WE HERE | | L | | | | | | 540/560 2 | Ş | ı, | | 0 10.019 | r | Н | 8.000 | Z. | | G | 00 |
| Cunia | | | | THICATE | | TO THE SE | RYCERTI | | L | Ŀ | | | | _ | 260/275 / | Γ | YS 0.2% | | - | L | Ľ | L | _ | | GRADE: | CONDITION:COLD |
| 1 | | | | SHALL NO | | CONFORM TO THE SPECIFICATION ABOVE | T THAT T | | L | | - | - | - | - | 61 | MPa , | (50) | | 18.138 | 18.300 | 20.000 | 18.000 | \vdash | CHEMIC | TP 304L | COLD FIN |
| 12.38+ | | | | I BE KEP | | ON ABOV | HE MATE | | | ŀ | - | H | | L | 61/62 | | (50mm) HA | | _ | - | - | - | Mo Z | AL COM | 24 | FINISHED, AN |
|)9(995C5-C | | | | KODUCEL | | ja j | RIAL DES | | | | | | | _ | 77/77 | HRB | RDNESS | | - | L | ig | - | 5 | CHEMICAL COMPOSITION (WT%) | |), ANNEALED, PI 201105058024004 |
| TEI:+86.512.52566260 FAX:+86.512.52568027 | | | | 2. THE CERTIFICATE SHALL NOT BE REPRODUCED EXCERT IN FULL WILLIAM | EVOCEDT DI C | | CRIBED HERE | | | | | | | | GOOD | | HARDNESS FLATTENING FLARING TEST TEST | | | | | | 111 | (WT%) | | CONDITION:COLD FINISHED, ANNEALED, PICKLED, PLAIN END CERTIFICATE NO: 201105058024004 |
| 2-5256802 | OJAI ITY | | | orr with | יייי איייי | | IN BEEN ! | | | | | - | | | GOOD | | FLARING TEST | | | | | | Cb+Ta | | | AIN END |
| | YMANAGER | | | 001 182 | | | MADE IN A | | | | | | | | GOU | | TEST | | | F | 1 | - | င္ပ | | | |
| | 뛼 | | | WALL | NETTEN | - | ACCORDA | | | | | | | | | 1 | GRAIN | | | | | | ≥ | | | |
| | | Om Jun | | AT INCHAR OF I | ANVADANO SIFIL SO IVANOSOSO NELLISANI SIFILI | | NCE WITH THE | | | | | | | | 201102-BA-037 | 2 | Lot No. | | | | | | < | | | |
| | | un | | COM AN | THE COMPANY | | WE HERERY CERTIFY THAT THE MATERIAL DESCRIBED HEREIN BEEN MADE IN ACCORDANCE WITH THE RESULTS OF THE CONTRACT, AND | | | | | | | | | , , | HYDROSTATIC TEST | | | | | | a | | | |
| | | | | | | | CONTRAC | | | | | | | | 900 | | Ω. | 1777 | | | | | | | | |
| | | | | | | - | T, AND | | | | | | | | 9000 | S | ULTRASONIC TEST | | | + | | | | | | · |

ADDRESS: 56# RENMIN ROAD, HAIYU TOWN, CHANGSHU CITY, JIANGSU PROVINCE, CHINA 215519 TEL: +86-512-52566260 FAX: +86-512-52568027

WLCS-QP-T24-06

Q.C. Reviewed

50- .049- -304L * YT3253 * 100067 * BN7230 * 3/14/2011

STS



SHANGHAI CRYSTAL PALACE-PIPE CO.,LTD

LAO GANG, PUDONG NEW AREA DISTRICT, SHANGHAI, CHINA

MILL TEST CERTIFICATE

| | DEPARTMENT | ASSURANCE DEPARTMENT | MANAGER OF QUALITY | NAGER (| MÁ | | | , J. I |)4 | INVOICE NO: YK-11-02-04 | CE NO: Y | INVOI |
|------------------------|-------------------------|---|---|---|---------------|---------------------|-------------|-------------|---|-----------------------------|-----------------|---------------|
| 77 | | | • | 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | | | | 3 1 | MILL TEST CERTIFICATE TO EN 10204/3 1 | MIT I TEST CERTIFICATE TO E | TRY OF (| COUN |
| 2011 | MAR 1 0 2011 | ٠ | , | | * | | | NOI | FREE FROM MERCURY CONTAMINATION | ERCURY | FROM M | FREE |
| EWED | QC REVIEWED | CO.,LTD | SHANGHAI CRYSTAL PALACE PIPE CO | TAL PAL | IAI CRYS | SHANGH | in | um/mc.1 X | NO WELD REPAIR WAS PERFORMED | AIR WAS | ELD REP | NO W |
| | | MPANY. | THE WRITTEN APPROVAL OF THE COMPANY. | PKOVAL | II IEN AL | THE WKJ | · · : | | IC LEST TO ASTM AZ62 PKACTICE E | AT TREAT | SI IOAS | |
| LL, WITHOUT | XCEPT IN FUI | E REPRODUCED, EXCEPT IN FULL, WITHOUT | 2.THE CERTIFICATE SHALL NOT BE I | TE SHAL | RTIFICA | 2.THE CE | |) | IN COMPLIANCE TO NACE MR0175-2003 | CE TO NA | MPLIAN | N CO |
| | | CT · | THE PURCHASE ORDER OR CONTRACT | ORDER C | CHASE (| THE PUR | 269-08 | R ASTM A | WALL THICKNESS TOLERANCE AS PER ASTM A269-08 | ESS TOLL | THICKN | WALL |
| IE TERMS OF | NCE WITH TH | ARE IN COMPLIANCE WITH THE TERMS OF | TESTED AND THE TEST RESULTS A | E TEST | AND TH | TESTED | |)7 | AS PER ASTM A213-09b/ASME SA213-07 | A213-09b/ | R ASTM | AS PE |
| N HAS BEEN | RIBED HEREI | I WE HEREBY CERTIFY THAT THE MATERIAL DESCRIBED HEREIN HAS BEEN | THAT THE N | RTIFY 1 | REBY C | 1.WE HE | ١ | | | | RKS: | REMARKS |
| OK (DRILLED HOLE) | 75 | OK | OK | 57.0 | 690 | 345 | 84 - : | 25 | 11-1-90 | 20 | 0.049 | 0.750 |
| OK (DRILLED HOLE) | 73 | OK | OK | 66.0 | 695 | . 340 | 797 | 500 · | W10-12-12 | 20 | 0.035 | 0.500 |
| TEST TO E426 (100%) | HRB ≤80 | TEST | TEST | (%) ≥35 | (Mpa) ≥515 | (Mpa) ≥205 | (kg) | Pieces | Bundle No. | Length (feet) | W.T (inch) | O.D (inch) |
| EDDY | HARDNESS | FLATTENING | FI ARING | 囯 | TS | 0.2%YS | Weight | | | ns | Dimensions | |
| | | | | ERTIES | L PROP | PHYSICAL PROPERTIES | Ŧ. | | | | | |
| | | 8.08 18.34 | | 0.41 | 0.002 | 0.039 | | 0.74 | 0.025 |)(E) | RESULTS (LADLE) | RESUI |
| | .0 | 8.0~12.0 18.0~20.0 | < 0.75 8.0 | ^ 0 | < 0.030 | < 0.040 | | <2.00 | € 0.035 | Z | SPECIFICATION | SPECI |
| | | Ni Cr | Si] | S | S | P | | Mn | C | | STNE | ELEMENTS |
| | - | | | | · | | | | (WT%) | CHEMICAL CONTENTS (WT%) | ICAL CO | CHEM |
| | | HEAT NO. :YT3253 | <u> </u> | D 320 GRIT | POLISHE | IN END / OF | KLED / PLA | EATED / PIC | CONDITION: COLD FINISH / SOLUTION TREATED / PICKLED / PLAIN END / OD POLISHED 320 GRIT. | OLD FINISI | ITION: CO | COND |
| TP304/TP304L | SME.SA213-07 | E : ASTM A213-09b/ASME.SA213-07 TP304/TP304L | GRADE: | | | ភ | TUBING | SEAMLESS | STEEL | COMMODITY: STAINLESS | ODITY: | COMN |
| | -В | R NO. :2010-11-009-B | ORDER | | | | | | | 0 | P.O.NO.: BN7230 | P.O.NC |
| | 1-9-B-4 | FICATE NO. :2010-11-9-B-4 | CERTIFIC | | | | INC | CANADA | CUSTOMER: MARMON/KEYSTONE | (ARMON/ |)MER: M | CUSTO |
| 2011/2/1 | DATE OF ISSUE: 2011/2/1 | | ISO9001:2000 ;PED Material CERTIFICATE (No.:QAC0021058/A) | 3 (No.:Q | IFICATE | ial CERT | ED Mater | 1:2000 ;PI | ISO9001 | ACE | CRYSTAL-PALACE | CRI |



Control No: 89167

Precision Tube Company

A Mueller Industries Company
287 Wissahickon Avenue
North Wales, Permsylvania 19454
Phone: (215) 699-5801 - Fax: (215) 699-0761

| | | | | | ICATION | | | | . • | | |
|-----------|--------------------|--|--|--|-------------------------------|-----------------------------|----------------------|-------------------------------|--------------------------------|------------------|-----------------------|
| CUSTO | | | EORDER | NO. | CUST. | | ο. | | PRECIS | ION TUB | E P/N |
| | | 3820 ITE | | | 323 | 782 | | | 24A03750 | | |
| OLD TO | | SEX AVE | TAINLESS ENUE EAS 001 | | | | HIP 13 | RUDENTL 0 ESSEX ÆNEL, N | AL STAINL AVENUE J 07001 | ESS PIPI EAST | EL. |
| QUANT | TY ORE | | | DESCR | PTION | | Т | QTY.SH | PPED | | ATE SHIPPED |
| - | 2.688 FT | ME TEM SPI LEN LG1 SHA FIN OD ID | TAL - 6061 MPER - T6 EC - AMS-1 ASTM-B-1 GTH - 12 IH TOL + APE - ROU ISH - STR .3750 + | WW-T-70 210-04 FT' .1250 IN JND AIGHT E .00300 | 0000 IN XACT LEN | ·GTHS | | | 380 FT | | 10/24/07 |
| | | 1 -4// | | | MECHAN | NICAL ! | PROPER | TIES | | ! | |
| HAE | PLE # | T | Tensile Strength (P.2.1) | | YIELD STREWYTH (P.S.I.) | | ELGNRA): IN 2 MCH | ON T | RDCKW | 185 185 | Average Grain Size |
| | | | | | | | (%) | - 1 | | | |
| 1 | 101 | 1 | 6,482 | | 41,156 | 1 | 16 | | | | (BIL) |
| 1 | 111 | | | | | | | | | - i - i | |
| MERCL | JROUS N MICRO I | ANSION ITRATE EXAMIN | (6,482 TEST: TEST: ATION: | | 41,156 NON-DE | STRU | 16 FLATTI | ENING TE | · · · · · · - | ss. | (100) |
| MERCL | EDE | ANSION ITRATE EXAMIN BY CURI | TEST: TEST: TEST: ATION: RENT TES | T: | 41,156 NON-DE | STRU | 16 FLATTI | LARE TE | · · · · · · - | ss | (100) |
| MERCL | EDE | ANSION ITRATE EXAMIN BY CURI | (6,482 TEST: TEST: ATION: | T: | 41,156 MON-DE | | FLATTI | LARE TE | · · · · · · - | ss | (100) |
| MERCL | EDE COSTATIO | ANSION HTRATE EXAMIN BY CURI PRESS ALTRAS | TEST: TEST: TEST: ATION: RENT TES | T: | 41,156 MON-DE | CAL C | 16 FLATTI | STS NON (#: 49 | · · · · · · - | | |
| MERCU | EDE COSTATIO | ANSION PRESS LTRAS | TEST: TEST: TEST: ATION: RENT TES SURE TES ONIC TES AT: Cu | T: | NON-DE | CAL CO TRAC RAW Co | FLATTI | STS NON (#: 49 | 5997 111452 - Ko Other | AISER AL | -UMINUM |
| MERCL | EDE COSTATIO | ANSION HTRATE EXAMIN BY CURI PRESS ALTRAS | TEST: TEST: TEST: ATION: RENT TES SURE TES ONIC TES | T: 3T: | NON-DE | CAL C | FLATTI | ESTS FON (#: 49 | 6997 711452 - K | AISER AL | |



NORTH WALES, PENNSYLVANIA 19454 PHONE: (215) 699-5801 - FAX: (215) 688-0781

CENTIFICATION AND THAT BEDARAGE

| P7 | C Lot# 36996 | SENTIFICATI S | M466110 | IESI Ü | | 0375005800 | 1.0 |
|--|---|--|--|------------------------|--|--|-----------------------------|
| 4 " | STOMER PURCHASE ORDER AG | | CUST. OND, NO. | 7 | SPACE OF THE PERSON OF THE PER | W/ | |
| PRUDE | SM 11 OF 43 ENTIAL STAINLES ESSEX AVENUE EX EL, NJ 07001 | | 36996 SHIP TO | 130 E88 | 36996- IAL STAINLI EX AVENUE I NJ 07001 | -01-1000919 SS PIPE PAST | 1, 662, 191 |
| CALAMITY CAL | | | 4 10 0 T 10 T 10 T 10 T 10 T 10 T 10 T 1 | | | District Control of the Control of t | |
| 2508.000 | PART - ASTI LENGTH - LGTH TOL SHAPE - ROI | 6 F-700/6F AM 4-B-210-95 12 FT F 1,1250/IN | LENGTH | s | | 9,4 | |
| | WALL . 0580 | + .00 | 0400 | 040 | | | |
| Harisalus erasi | | | Sand of the Sandard | | Alare Control Conscion | | |
| SAMPLE 4 | TENRICE STARINGTH 67.8.1.) | VIELD STRENGTH (P.E.I.) | ELON UN 2 | GATION NGHES 46) | ROCKWELL HARDNESS | G. | VERAGE AIN SEZE (MM.) |
| . 1 | 45,450 | 36,928 | | 0.0 | | | : |
| to . | | 3 | | | | · | |
| EXPANSION TEST MERCUROUS NITI | | and the same of th | | FLATTEN | ING TEST: | | |
| | | | Service Control | | | | |
| EDDY CURRENT HYDROSTATIC I ULTRASONIC TO | | ** | | | | | KREEKE PROJECT |
| ALLOY #: 606 | 51 | | | TRACEAS | HLITY#: 4122 | A Landerson Committee of the Committee o | 27/11/E-5-64 |

ALCOA Other alements **S1** Cu Mп Mg . Cr Zn T1 Each Total 0.40 0.15 MIN. 0.8 0:04 Tem, 0.8 0.7 0.40 0.15 1.2 MAX. 0.35 0\<u>2</u>5 0.15 0.05 0.15

We hereby certify that the foregoing results are correct, that the material complies with the requirements of the above specifications and purchase order and that the test reports represent the actual attributes of the Items furnished on this order. During the manufacturing, testing and inspection, the product did not come into direct contact with mercury or any of its compounds, nor with any mercury containing device employing a single boundary of containment.

> INSPECTOR PACKING COPYNIda Bonner

P.O. Box 3030, Station A, Mississauga, Ontario LSA 3S3 G.S.T.# 144612488 Overland Western International Inc.(OVEA) 3091 Rockefeller Avenue, Cleveland, Ohio 44115-3611 TST overland Express 2153 Division of TCT Solutions LP. Use division de TST Solutions LP. DUNS No. 242148401 (OVLD) P/U Trailer- Unite Cuell L/H Trailer - Unite Route 750-2224608 16487 15362 11 14 11 Manifest From - Manifest de Consignee - Consignataire Billi of Lading No.- N°Connais Purchase Order No. - N° de Commande Y . A Shinner - Evedditaur DART AEROSPACE LTD MARMON KEYSTONE LTD MTLO 1270 ABERDEEN STREET 290 CHEMIN DU TREMBLAY .00 HAWKESBURY, ON K6A 1K7 BOUCHERVILLE, PQ J4B 5X9 Valeur déclarée O 01 BIII To - Facturer à Origin Carrier - Premier Transporteur O/C Pro No. - Nº Facture P/T Beyond Carrier - Transporteur subs. Pieces - Colis H.M. Description Weight - Polds Rate - Taux Charges - Frais 2 LSE ALUMINIUM TUBE 75 COLLECT TUBES EN ACIER RECOUVRIR EN TOUT TEMPS NE PAS UTILISER DE FOURCHES 613-632-5200 FUEL SURCHARGE COLLECT Printed on 11/15/2011 @ 06:43 ** COLLECT ** 2 Total Pieces Coils total GST# 144612488 Total Weight Poids total Total Charges Frais totaux COLLECT

Unit - Unité

Any loss or damage must be noted on pro bill at time of delive otherwise consignee's signature will constitute clear receipt.

Toutes pertes du dommages doivent être notés sur le connais-sement au moment de la livraison, autrement la signature du consignataire constituera un recu final.

Driver-Chauffour

Cash or Certified Cheque Only - Driver Collect This Amount

sé ou argent comptant seulement - à percevoir par le chauffeui Terms: Net 7 Days, Overdue Balance Subject to Interest Charges Conditions:7 Jours, compte en Souffrance Sujet à Intéréts

Signature Copy - Copie de Signature

C.O.D. Total P.S.L. Chi

E & 0E

Print Last Name

Received in Apparent Good Order- Reçu sans Avaire Apparente Date

S/W INTACT

YES NO

Au transporteur suivant - Frais à protéger

Time in

Carrler Code

Code du Transp